



MP PLAST

PE100 FITING ZA VODU I GAS



WWW.MPPLAST.COM



Razvojni put „M.P.-PLAST“-a d.o.o. počinje oktobra 1999. godine osnivanjem male zanatske radionice SZR „MONT-PLAST“ u Pančevu. To je bila radionica za izradu polietilenskih fittinga i uslužno zavarivanje i montažu polietilenskih cevi na terenu.

Promena je nastala 2005. godine, kada su Bojić Žikica i Alerić Ivan osnovali privatno preduzeće „M.P.-PLAST“ d.o.o. Pančevo koje i dalje veoma uspešno napreduje.

Osnovni program „M.P.-PLAST“ d.o.o. je proizvodnja polietilenskog fittinga, pp čeličnih prirubnica, izrada mašinskih delova i sklopova, montaža polietilenskih cevi i sučeono zavarivanje istih.

Za sve svoje proizvode prilažemo potvrdu o kvalitetu i atesta ulaznog repromaterijala i atesta za sučeono zavarivanje polietilenskih cevi.

Trajno opredeljenje i ključni pravac svih aktivnosti u M.P.-PLAST-u je da svojim kupcima omogućimo što kvalitetniji PE fitting po što nižoj ceni.

The development path of "M.P.-PLAST" d.o.o. begins in October 1999 with the establishment of a small craft workshop SZR "MONT-PLAST" in Pancevo. It was a workshop for the production of polyethylene fittings and service welding and assembly of polyethylene pipes in the field.

The change occurred in 2005, when Bojić Žikica and Alerić Ivan founded the private company "M.P.-PLAST" d.o.o. Pančevo which is still progressing very successfully.

Basic program "M.P.-PLAST" d.o.o. is the production of polyethylene fittings, pp steel flanges, production of machine parts and assemblies, assembly of polyethylene pipes and butt welding of the same.

For all our products, we attach a certificate of quality and a certificate of input raw material and a certificate for butt welding polyethylene pipes.

The permanent commitment and key direction of all activities at M.P.-PLAST is to provide our customers with the highest quality PE fitting at the lowest possible price.




TULJAK PE100 SDR11

Flange adaptor PE100 SDR11

Brizgani / Injected

16 bar Voda / 16 bar Water




d	Broj artikla Article No	d1	d2	d3	le	L	Z	S	Težina Weight
		mm	mm	mm	mm	mm	mm	mm	kg
20	001 011 020	28	45	/	48	12	73	3,0	0,024
25	001 011 025	34	58	/	50	12	74	3,0	0,035
32	001 011 032	42	68	/	59	13	87	3,0	0,072
40	001 011 040	51	78	/	57	13	87	3,7	0,090
50	001 011 050	62	88	/	60	14	89	4,6	0,116
63	001 011 063	78	102	/	78	14	107	5,8	0,192
75	001 011 075	92	122	/	82	17	121	6,8	0,292
90	001 011 090	108	138	/	82	17	122	8,2	0,420
110	001 011 110	125	158	/	74	19	121	10,0	0,598
125	001 011 125	135	158	118	99	24	150	11,4	0,890
140	001 011 140	155	188	143	102	24	144	12,7	1,020
160	001 011 160	175	212	154	95	26	144	14,6	1,320
180	001 011 180	188	212	158	90	27	145	16,4	1,690
200	001 011 200	232	268	208	60	27	120	18,2	2,060
225	001 011 225	238	268	208	68	28	121	20,5	2,150
250	001 011 250	288	320	260	66	40	125	22,7	3,202
280	001 011 280	288	320	260	90	29	160	25,4	3,950
315	001 011 315	338	375	305	75	45	142	28,6	4,840
355	001 011 355	376	435	345	75	45	146	32,3	6,934
400	001 011 400	430	485	396	80	50	145	36,4	7,360
450(DN450)	001 011 450	465	545	442	62	47	143	40,9	8,740
450(DN500)	001 011 450*	517	585	480	62	47	143	40,9	8,980
500	001 011 500	530	590	494	56	52	131	45,5	9,150
560	001 011 560	618	690	580	60	58	152	50,8	22,000
630	001 011 630	645	690	576	74	54	144	57,3	26,000

TULJAK PE100 SDR17

Flange adaptor PE100 SDR17

Brizgani / Injected

10 bar Voda / 10 bar Water



d	Broj artikla Article No	d1	d2	d3	le	L	Z	S	Težina Weight kg
		mm	mm	mm	mm	mm	mm	mm	
90	001 017 090	108	139	/	83	17	122	5,4	0,340
110	001 017 110	125	158	/	81	20	125	6,6	0,522
125	001 017 125	135	158	115	95	21	140	7,4	0,562
140	001 017 140	155	188	138	94	20	145	8,3	0,806
160	001 017 160	175	212	154	96	26	143	9,5	1,066
180	001 017 180	188	212	164	101	25	150	10,7	1,096
200	001 017 200	230	268	208	120	27	180	11,9	1,960
225	001 017 225	238	268	208	119	27	180	13,4	2,153
250	001 017 250	288	320	260	70	27	121	14,8	2,366
280	001 017 280	288	320	260	78	30	123	16,6	2,484
315	001 017 315	338	375	305	81	30	143	18,7	3,794
355	001 017 355	376	435	350	80	30	143	21,1	4,993
400	001 017 400	430	485	396	79	37	147	23,7	6,451
450(DN450)	001 017 450	465	545	442	67	52	143	26,7	8,750
450(DN500)	001 017 450*	517	585	485	67	52	143	26,7	8,755
500	001 017 500	530	590	497	56	52	131	29,7	8,950
560	001 017 560	618	690	580	59	100	152	33,2	16,000
630	001 017 630	645	690	585	58	60	150	37,4	15,500

**MP PLAST****SLOBODNA PRIRUBNICA, PP ČELIK (METRIČKI)****BACKING FLANGE, PP STEEL (METRIC)**

PP 30% Ojačan staklenim vlaknima sa čeličnim prstenom /


PP 30% Glass-fibre reinforced with steel ring

Otporno na UV zračenje, pogodno za vanjsku upotrebu /

UV-Resistant suitable for outdoor use

Spojna dimenzija ISO 7005, EN 1092, BS4504, DIN 2501 /

Connecting dimension ISO 7005, EN 1092, BS4504, DIN 2501

**Prečnik podeonog kruga za vijke PN16 / Bolt circle PN16**

d	DN	Broj artikla Article No	D	k	a	l	b	Vijak Bolt	Broj rupa Hole Qty.	Težina Weight
mm	mm		mm	mm	mm	mm	mm	mm		kg
20	15	002 016 020	95	65	28	14	16	M12	4	0,29
25	20	002 016 025	105	75	34	14	18	M12	4	0,36
32	25	002 016 032	115	85	42	14	18	M12	4	0,53
40	32	002 016 040	140	100	51	18	18	M16	4	0,78
50	40	002 016 050	150	110	62	18	18	M16	4	0,90
63	50	002 016 063	165	125	78	18	18	M16	4	1,15
75	65	002 016 075	185	145	92	18	18	M16	4	1,30
90	80	002 016 090	200	160	108	18	20	M16	8	1,47
110	100	002 016 110	222	180	128	18	20	M16	8	1,78
125	100	002 016 125	222	180	135	18	20	M16	8	1,70
140	125	002 016 140	250	210	158	18	24	M16	8	2,70
160	150	002 016 160	285	240	178	22	24	M20	8	3,53
180	150	002 016 180	285	240	188	22	24	M20	8	3,28
200	200	002 016 200	340	295	235	22	28	M20	12	5,40
225	200	002 016 225	340	295	238	22	28	M20	12	5,82
250	250	002 016 250	410	355	288	26	30	M24	12	9,74
280	250	002 016 280	410	355	294	26	30	M24	12	9,45
315	300	002 016 315	463	410	338	26	33	M24	12	11,70
355	350	002 016 355	520	470	376	26	35	M24	16	15,90
400	400	002 016 400	585	525	430	30	35	M27	16	18,30

SLOBODNA PRIRUBNICA, PP ČELIK (METRIČKI)

BACKING FLANGE, PP STEEL (METRIC)

PP 30% Ojačan staklenim vlaknima sa čeličnim prstenom /


PP 30% Glass-fibre reinforced with steel ring

Otporno na UV zračenje, pogodno za vanjsku upotrebu /

UV-Resistant suitable for outdoor use

Spojna dimenzija ISO 7005, EN 1092, BS4504, DIN 2501 /

Connecting dimension ISO 7005, EN 1092, BS4504, DIN 2501



Prečnik podeonog kruga za vijke PN10 / Bolt circle PN10

d	DN	Broj artikla Article No	D	k	a	l	b	Vijak Bolt	Broj rupa Hole Qty.	Težina Weight
mm	mm		mm	mm	mm	mm	mm	mm		kg
200	200	002 010 200	343	295	235	22	27	M20	8	5,53
225	200	002 010 225	343	295	238	22	27	M20	8	5,42
250	250	002 010 250	400	350	288	22	28	M20	12	7,34
280	250	002 010 280	400	350	294	22	28	M20	12	7,26
315	300	002 010 315	450	400	338	22	33	M20	12	9,12
355	350	002 010 355	508	460	376	22	35	M20	16	13,50
400	400	002 010 400	568	515	430	26	35	M24	16	17,80




KOLENO 90° PE100 SDR11


ELBOW 90° PE100 SDR11

Brizgani / Injected

16 bar Voda / 16 bar Water



d	Broj artikla Article No	le	Z	s	Težina Weight
		mm	mm	mm	kg
20	003 011 020	41	70	3,0	0,020
25	003 011 025	41	75	3,0	0,030
32	003 011 032	42	80	3,0	0,060
40	003 011 040	48	94	3,7	0,106
50	003 011 050	63	106	4,6	0,160
63	003 011 063	63	106	5,8	0,236
75	003 011 075	66	117	6,8	0,340
90	003 011 090	73	125	8,2	0,518
110	003 011 110	78	145	10,0	0,900
125	003 011 125	82	157	11,4	1,254
140	003 011 140	84	167	12,7	1,704
160	003 011 160	79	160	14,6	2,030
180	003 011 180	98	205	16,4	3,350
200	003 011 200	103	210	18,2	4,521
225	003 011 225	126	225	20,5	6,750
250	003 011 250	138	230	22,7	7,710
280	003 011 280	137	268	25,4	13,000
315	003 011 315	150	286	28,6	16,300
355	003 011 355	145	345	32,2	21,710
400	003 011 400	150	370	36,3	30,180



KOLENO 90° PE100 SDR17

ELBOW 90° PE100 SDR17

Brizgani / Injected

10 bar Voda / 10 bar Water

d	Broj artikla Article No	le	Z	s	Težina Weight
		mm	mm	mm	kg
90	003 017 090	70	125	5,4	0,474
110	003 017 110	78	145	6,6	0,724
125	003 017 125	78	157	7,4	1,060
140	003 017 140	84	167	8,3	1,294
160	003 017 160	79	160	9,5	1,800
180	003 017 180	98	205	10,7	2,518
200	003 017 200	103	210	11,9	3,484
225	003 017 255	126	225	13,4	5,070
250	003 017 250	130	230	14,8	5,640
280	003 017 280	137	268	16,6	9,550
315	003 017 315	149	286	18,7	11,900
355	003 017 355	145	345	21,1	15,880
400	003 017 400	150	370	23,7	21,005

KOLENO 45° PE100 SDR11

ELBOW 45° PE100 SDR11

Brizgani / Injected

16 bar Voda / 16 bar Water




d	Broj artikla Article No	le	Z	s	Težina Weight
		mm	mm	mm	kg
20	004 011 020	43	119	3,0	0,030
25	004 011 025	43	125	3,0	0,040
32	004 011 032	46	136	3,0	0,060
40	004 011 040	50	130	3,7	0,085
50	004 011 050	52	140	4,6	0,110
63	004 011 063	58	160	5,8	0,188
75	004 011 075	65	165	6,8	0,330
90	004 011 090	65	180	8,2	0,500
110	004 011 110	70	180	10,0	0,820
125	004 011 125	98	230	11,4	1,181
140	004 011 140	97	250	12,7	1,512
160	004 011 160	102	263	14,6	2,070
180	004 011 180	108	280	16,4	2,700
200	004 011 200	120	301	18,2	3,700
225	004 011 225	123	331	20,5	6,020
250	004 011 250	130	358	22,7	7,680
280	004 011 280	139	396	25,4	9,765
315	004 011 315	148	420	28,6	12,585
355	004 011 355	164	480	32,3	22,500
400	004 011 400	179	538	36,4	32,000

KOLENO 45° PE100 SDR17

ELBOW 45° PE100 SDR17

Brizgano / Injected
10 bar Voda / 10 bar Water



d	Broj artikla Article No	le	Z	s	Težina Weight
		mm	mm	mm	kg
90	004 017 090	65	180	5,4	0,450
110	004 017 110	70	180	6,6	0,650
125	004 017 125	92	239	7,4	0,920
140	004 017 140	97	250	8,3	1,420
160	004 017 160	103	273	9,5	1,530
180	004 017 180	110	290	10,7	1,950
200	004 017 200	117	311	11,9	2,690
225	004 017 255	126	341	13,4	4,440
250	004 017 250	129	368	14,8	5,534
280	004 017 280	140	406	16,6	6,926
315	004 017 315	152	430	18,7	9,840
355	004 017 355	164	490	21,1	15,470
400	004 017 400	179	548	23,7	21,920


KOLENO 11° - 60° PE100 SDR11

ELBOW 11° - 60° PE100 SDR11

Brizgano / Injected

Zavareno / Welded

16 bar Voda / 16 bar Water



d	Broj artikla Article No	le	Z	s	Težina Weight
		mm	mm	mm	kg
90	005 011 090	83	185	8,2	0,550
110	005 011 110	87	201	10,0	0,885
125	005 011 125	92	220	11,4	1,205
140	005 011 140	97	232	12,7	1,760
160	005 011 160	103	252	14,6	2,380
180	005 011 180	110	271	16,4	3,470
200	005 011 200	117	291	18,2	4,900
225	005 011 255	122	320	20,5	5,990
250	005 011 250	135	351	22,7	8,490
280	005 011 280	146	390	25,4	12,900
315	005 011 315	158	416	28,6	18,050
355	005 011 355	173	472	32,3	24,370
400	005 011 400	189	525	36,4	35,280


KOLENO 11° - 60° PE100 SDR17

ELBOW 11° - 60° PE100 SDR17

Brizgano / Injected

Zavareno / Welded

10 bar Voda / 10 bar Water




d	Broj artikla Article No	le	Z	s	Težina Weight
		mm	mm	mm	kg
90	005 017 090	83	185	5,4	0,400
110	005 017 110	87	201	6,6	0,640
125	005 017 125	92	220	7,4	0,860
140	005 017 140	97	232	8,3	1,240
160	005 017 160	103	252	9,5	1,765
180	005 017 180	110	271	10,7	2,540
200	005 017 200	117	291	11,9	3,570
225	005 017 255	122	320	13,4	4,315
250	005 017 250	135	351	14,8	6,280
280	005 017 280	146	390	16,6	9,395
315	005 017 315	158	416	18,7	12,760
355	005 017 355	173	472	21,1	18,180
400	005 017 400	189	525	23,7	25,390

T - KOMAD PE100 SDR11

EQUAL TEE PE100 SDR11

Brizgani / Injected

16 bar Voda / 16 bar Water




d	Broj artikla Article No	L	le	Z	S	Težina Weight
		mm	mm	mm	mm	kg
20	009 011 020	148	51	74	3,0	0,040
25	009 011 025	158	51	78	3,0	0,050
32	009 011 032	165	45	85	3,0	0,090
40	009 011 040	185	50	90	3,7	0,162
50	009 011 050	213	63	110	4,6	0,236
63	009 011 063	213	63	110	5,8	0,336
75	009 011 075	255	63	130	6,8	0,560
90	009 011 090	260	63	130	8,2	0,800
110	009 011 110	295	67	160	10,0	1,030
125	009 011 125	315	92	160	11,4	1,818
140	009 011 140	330	85	195	12,7	2,190
160	009 011 160	380	95	200	14,6	3,504
180	009 011 180	415	105	200	16,4	4,600
200	009 011 200	425	115	220	18,2	6,995
225	009 011 225	520	122	255	20,5	9,280
250	009 011 250	560	131	286	22,7	11,290
280	009 011 280	590	150	290	25,4	15,005
315	009 011 315	670	150	340	26,6	21,940
355	009 011 355	730	155	360	32,3	29,785
400	009 011 400	785	155	395	36,4	41,510

T - KOMAD PE100 SDR17

EQUAL TEE PE100 SDR17

Brizgani / Injected

10 bar Voda / 10 bar Water



d	Broj artikla Article No	L	le	Z	S	Težina Weight
		mm	mm	mm	mm	kg
90	009 017 090	260	75	135	5,4	0,612
110	009 017 110	295	84	150	6,6	1,042
125	009 017 125	315	84	170	7,4	1,512
140	009 017 140	330	84	170	8,3	1,742
160	009 017 160	380	95	200	9,5	2,826
180	009 017 180	410	100	200	10,7	3,406
200	009 017 200	430	90	220	11,9	4,445
225	009 017 225	520	122	255	13,4	6,520
250	009 017 250	552	130	280	14,8	9,080
280	009 017 280	590	145	290	16,6	11,520
315	009 017 315	705	155	325	18,7	16,000
355	009 017 355	730	155	360	21,1	21,807
400	009 017 400	785	155	395	23,7	30,550




REDUKOVANI T - KOMAD PE100 SDR11

REDUCED TEE PE100 SDR11

Brizgani / Injected

16 bar Voda / 16 bar Water




d1	d2	Broj artikla Article No	L	le1	le2	Z	s1	s2	Težina Weight
mm	mm		mm	mm	mm	mm	mm	mm	kg
63	50	010 011 066	213	63	53	110	5,8	4,6	0,255
75	63	010 011 078	255	63	65	130	6,8	5,8	0,554
90	63	010 011 093	255	63	70	130	8,2	5,8	0,772
90	75	010 011 094	255	63	70	130	8,2	6,8	0,895
110	63	010 011 113	260	67	70	150	10,0	5,8	1,102
110	75	010 011 114	260	67	70	150	10,0	6,8	1,158
110	90	010 011 115	260	67	75	150	10,0	8,2	1,240
125	90	010 011 127	320	92	70	170	11,4	8,2	1,658
125	110	010 011 128	320	92	84	170	11,4	10,0	1,720
140	90	010 011 142	320	85	75	170	12,7	8,2	2,020
140	110	010 011 143	320	85	84	170	12,7	10,0	2,105
160	90	010 011 162	380	95	84	200	14,6	8,2	2,985
160	110	010 011 163	380	95	100	200	14,6	10,0	3,220
180	90	010 011 182	410	100	84	200	16,4	8,2	3,980
180	110	010 011 183	410	100	84	200	16,4	10,0	4,230
200	90	010 011 202	430	90	90	220	18,2	8,2	5,025
200	110	010 011 203	430	90	90	220	18,2	10,0	5,190
200	160	010 011 206	430	90	95	220	18,2	14,6	6,035

REDUKOVANI T - KOMAD PE100 SDR17

REDUCED TEE PE100 SDR17

Brizgani / Injected
10 bar Voda / 10 bar Water



d1	d2	Broj artikla Article No	L	le1	le2	Z	s1	s2	Težina Weight
mm	mm		mm	mm	mm	mm	mm	mm	kg
90	63	010 017 093	255	63	70	135	5,4	3,8	0,615
90	75	010 017 093	255	63	70	135	5,4	4,5	0,640
110	63	010 017 113	260	67	73	150	6,6	3,8	0,910
110	75	010 017 114	260	67	80	150	6,6	4,5	0,950
110	90	010 017 115	260	67	75	150	6,6	5,4	1,025
125	90	010 017 127	320	92	70	170	7,4	5,4	1,450
125	110	010 017 128	320	92	84	170	7,4	6,6	1,520
140	90	010 017 142	320	85	75	170	8,3	5,4	1,690
140	110	010 017 143	320	85	84	170	8,3	6,6	1,780
160	90	010 017 162	380	95	84	200	9,5	5,4	2,610
160	110	010 017 163	380	95	100	200	9,5	6,6	2,725
180	90	010 017 182	410	100	84	200	10,7	5,4	3,120
180	110	010 017 183	410	100	84	200	10,7	6,6	3,370
200	90	010 017 202	430	90	90	220	11,9	5,4	4,070
200	110	010 017 203	430	90	90	220	11,9	6,6	4,230
200	160	010 017 206	430	90	95	220	11,9	9,5	4,550




REDUCIR PE100 SDR11

REDUCER PE100 SDR11

Brizgani / Injected

16 bar Voda / 16 bar Water




d1	d2	Broj Arikla Article No	Z	le1	le2	s1	s2	Težina Weight
		mm	mm	mm	mm	mm	mm	kg
25	20	011 011 025	85	40	40	3,0	3,0	0,030
32	20	011 011 032	90	41	40	3,0	3,0	0,030
32	25	011 011 033	90	41	40	3,0	3,0	0,030
40	25	011 011 040	91	43	46	3,7	3,0	0,040
40	32	011 011 041	91	43	46	3,7	3,0	0,050
50	25	011 011 050	95	30	30	4,6	3,7	0,070
50	32	011 011 051	95	30	30	4,6	3,0	0,070
50	40	011 011 052	95	30	30	4,6	3,0	0,060
63	25	011 011 063	110	44	40	5,8	3,0	0,090
63	32	011 011 064	110	44	40	5,8	3,0	0,090
63	40	011 011 065	95	35	30	5,8	3,7	0,080
63	50	011 011 066	95	35	30	5,8	4,6	0,140
75	32	011 011 075	90	35	33	6,8	3,0	0,100
75	40	011 011 076	90	35	34	6,8	3,7	0,103
75	50	011 011 077	95	35	35	6,8	4,6	0,110
75	63	011 011 078	95	35	35	6,8	5,8	0,135
90	50	011 011 090	95	35	30	8,2	4,6	0,160
90	63	011 011 091	95	32	32	8,2	5,8	0,180
90	75	011 011 092	95	33	35	8,2	6,8	0,185
110	50	011 011 110	107	35	30	10,0	4,6	0,220
110	63	011 011 111	105	35	33	10,0	5,8	0,250
110	75	011 011 112	105	35	33	10,0	6,8	0,350
110	90	011 011 113	105	35	30	10,0	8,2	0,430
125	63	011 011 125	70	32	20	11,4	5,8	0,420
125	75	011 011 126	70	35	20	11,4	6,8	0,530
125	90	011 011 127	70	35	20	11,4	8,2	0,570
125	110	011 011 128	70	35	20	11,4	10,0	0,590
140	75	011 011 141	70	35	20	12,7	6,8	0,610
140	90	011 011 142	70	35	20	12,7	8,2	0,630
140	110	011 011 143	70	35	20	12,7	10,0	0,700
140	125	011 011 144	70	35	20	12,7	11,4	0,750
160	90	011 011 162	70	35	20	14,6	8,2	0,810
160	110	011 011 163	70	35	20	14,6	10,0	0,850
160	125	011 011 164	70	35	20	14,6	11,4	0,910
160	140	011 011 165	70	35	20	14,6	12,7	1,300
180	90	011 011 180	240	108	80	16,4	8,2	1,590
180	110	011 011 181	228	108	82	16,4	10,0	1,620
180	125	011 011 182	240	108	87	16,4	11,4	1,650
180	160	011 011 184	240	104	93	16,4	14,6	1,870
200	90	011 011 200	230	112	80	18,2	8,2	2,110
200	110	011 011 201	230	112	82	18,2	10,0	2,160
200	125	011 011 202	230	112	87	18,2	11,4	2,250
200	160	011 011 204	240	112	98	18,2	14,6	2,280
200	180	011 011 205	242	112	105	18,2	16,4	2,350

REDUCIR PE100 SDR11

REDUCER PE100 SDR11

Brizgani / Injected

16 bar Voda / 16 bar Water




d1	d2	Broj Arikla Article No	Z	le1	le2	s1	s2	Težina Weight
		mm	mm	mm	mm	mm	mm	kg
225	90	011 011 225	237	110	79	20,5	8,2	2,780
225	110	011 011 226	250	110	82	20,5	10,0	2,900
225	160	011 011 227	258	110	98	20,5	14,6	3,070
225	180	011 011 228	250	110	88	20,5	16,4	3,150
225	200	011 011 229	255	115	88	20,5	18,2	3,200
250	90	011 011 250	230	110	88	22,7	8,2	3,290
250	110	011 011 251	237	110	88	22,7	10,0	3,350
250	125	011 011 252	230	110	90	22,7	11,4	3,490
250	160	011 011 254	245	110	100	22,7	14,6	3,600
250	180	011 011 255	248	110	105	22,7	16,4	4,120
250	200	011 011 256	250	110	105	22,7	18,2	4,180
250	225	011 011 257	235	110	85	22,7	20,5	4,360
280	160	011 011 280	256	110	88	25,4	14,6	5,200
280	180	011 011 281	255	110	85	25,4	16,4	5,290
280	200	011 011 282	252	110	85	25,4	18,2	5,400
280	225	011 011 283	250	110	85	25,4	20,5	5,750
280	250	011 011 284	248	110	82	25,4	22,7	6,000
315	90	011 011 314	255	118	90	28,6	8,2	5,200
315	110	011 011 315	255	118	92	28,6	10,0	5,430
315	160	011 011 318	256	118	92	28,6	14,6	5,850
315	180	011 011 319	256	118	94	28,6	16,4	6,290
315	200	011 011 320	258	118	94	28,6	18,2	6,600
315	225	011 011 321	255	117	95	28,6	20,5	6,900
315	250	011 011 322	255	117	95	28,6	22,7	7,160
315	280	011 011 323	255	120	104	28,6	25,4	7,600
355	225	011 011 358	290	118	110	32,3	20,5	8,350
355	250	011 011 359	290	118	110	32,3	22,7	8,900
355	280	011 011 360	290	118	110	32,3	25,4	9,800
355	315	011 011 361	290	118	110	32,3	28,6	10,600
400	225	011 011 401	285	110	110	36,3	20,5	11,290
400	250	011 011 402	285	110	110	36,3	22,7	12,400
400	315	011 011 404	285	110	110	36,3	28,6	13,250
400	355	011 011 405	285	110	110	36,3	32,3	14,700

REDUCIR PE100 SDR17

REDUCER PE100 SDR17

Brizgani / Injected

10 bar Voda / 10 bar Water




d1	d2	Broj Arikla Article No	Z	le1	le2	s1	s2	Težina Weight
		mm	mm	mm	mm	mm	mm	kg
110	63	011 017 111	105	35	33	6,6	3,8	0,200
110	75	011 017 112	105	35	33	6,6	4,5	0,250
110	90	011 017 113	105	35	30	6,6	5,4	0,300
125	63	011 017 125	70	32	20	7,4	3,8	0,360
125	75	011 017 126	70	35	20	7,4	4,5	0,390
125	90	011 017 127	70	35	20	7,4	5,4	0,440
125	110	011 017 128	70	35	20	7,4	6,6	0,480
140	75	011 017 141	70	35	20	8,3	4,5	0,560
140	90	011 017 142	70	35	20	8,3	5,4	0,590
140	110	011 017 143	70	35	20	8,3	6,6	0,620
140	125	011 017 144	70	35	20	8,3	7,4	0,650
160	90	011 017 162	70	35	20	9,5	5,4	0,850
160	110	011 017 163	70	35	20	9,5	6,6	0,870
160	125	011 017 164	70	35	20	9,5	7,4	0,900
160	140	011 017 165	70	35	20	9,5	8,3	0,930
180	90	011 017 181	240	108	80	10,7	5,4	1,050
180	110	011 017 182	228	108	82	10,7	6,6	1,110
180	125	011 017 183	240	108	87	10,7	7,4	1,200
180	160	011 017 185	240	104	93	10,7	9,5	1,220
200	90	011 017 200	230	112	80	11,9	5,4	1,320
200	110	011 017 201	230	112	82	11,9	6,6	1,370
200	125	011 017 202	230	112	87	11,9	7,4	1,400
200	160	011 017 204	240	112	98	11,9	9,5	1,510
200	180	011 017 205	242	112	105	11,9	10,7	1,630
225	90	011 011 225	237	110	79	13,4	5,4	1,890
225	110	011 011 226	250	110	82	13,4	6,6	1,940
225	160	011 011 227	258	110	98	13,4	9,5	2,090
225	180	011 011 228	250	110	88	13,4	10,7	2,160
225	200	011 011 229	255	115	88	13,4	11,9	2,200
250	90	011 011 250	230	110	88	14,8	5,4	2,450
250	110	011 011 251	237	110	88	14,8	6,6	2,520
250	125	011 011 252	230	110	90	14,8	7,4	2,660
250	160	011 011 254	245	110	100	14,8	9,5	2,730
250	180	011 011 255	248	110	105	14,8	10,7	2,900
250	200	011 011 256	250	110	105	14,8	11,9	3,100
250	225	011 011 257	235	110	85	14,8	13,4	3,160
280	160	011 011 280	256	110	88	16,6	9,5	3,350
280	180	011 011 281	255	110	85	16,6	10,7	3,410
280	200	011 011 282	252	110	85	16,6	11,9	3,500
280	225	011 011 283	250	110	85	16,6	13,4	3,670
280	250	011 011 284	248	110	82	16,6	14,8	3,950
315	90	011 011 314	255	118	90	18,7	5,4	4,500
315	110	011 011 315	255	118	92	18,7	6,6	4,515
315	160	011 011 318	256	118	92	18,7	9,5	5,620
315	180	011 011 319	256	118	94	18,7	10,7	5,770
315	200	011 011 320	258	118	94	18,7	11,9	5,900
315	225	011 011 321	255	117	95	18,7	13,4	6,150
315	250	011 011 322	255	117	95	18,7	14,8	6,250
315	280	011 011 323	255	120	104	18,7	16,6	6,310
355	225	011 011 358	290	118	110	21,1	13,4	6,800
355	250	011 011 359	290	118	110	21,1	14,8	6,910
355	280	011 011 360	290	118	110	21,1	16,6	7,100
355	315	011 011 361	290	118	110	21,1	18,7	7,350
400	225	011 011 401	285	110	110	23,7	13,4	8,120
400	250	011 011 402	285	110	110	23,7	14,8	8,500
400	315	011 011 404	285	110	110	23,7	18,7	9,100
400	355	011 011 405	285	110	110	23,7	21,1	9,690

STEPENASTI REDUCIR PE100 SDR11

STEP REDUCER PE100 SDR11

Brizgani / Injected

16 bar Voda / 16 bar Water



D4	D1	Broj Arikla Article No	D3	D2	L1	L2	L3	L4	Z	Težina Weight
		mm	mm	mm	mm	mm	mm	mm	mm	kg
160	90	011 160 090	140	125	35	35	35	35	190	0,970
225	160	011 225 160	200	180	51	35	35	40	190	1,940
315	225	011 315 225	280	250	42	35	35	42	190	3,720




ZAVRŠNA KAPA PE100 SDR11

END CAP PE100 SDR11

Brizgani / Injected

16 bar Voda / 16 bar Water




d	Broj artikla Article No	le mm	s mm	Težina Weight kg
20	018 011 020	45	3,0	0,010
25	018 011 025	40	3,0	0,010
32	018 011 032	44	3,0	0,020
40	018 011 040	67	3,7	0,040
50	018 011 050	67	4,6	0,050
63	018 011 063	70	5,8	0,090
75	018 011 075	74	6,8	0,140
90	018 011 090	84	8,2	0,230
110	018 011 110	82	10,0	0,350
125	018 011 125	87	11,4	0,550
140	018 011 140	98	12,7	0,760
160	018 011 160	102	14,6	1,040
180	018 011 180	112	16,4	1,400
200	018 011 200	112	18,2	1,890
225	018 011 225	119	20,5	2,600
250	018 011 250	128	22,7	3,290
280	018 011 280	140	25,4	4,630
315	018 011 315	150	28,6	6,120
355	018 011 355	150	32,3	8,980
400	018 011 400	150	36,4	12,590

ZAVRŠNA KAPA PE100 SDR17

END CAP PE100 SDR17

Brizgani / Injected

10 bar Voda / 10 bar Water



d	Broj artikla Article No	le mm	s mm	Težina Weight kg
63	018 017 063	70	3,8	0,075
75	018 017 075	72	4,5	0,115
90	018 017 090	84	5,4	0,170
110	018 017 110	82	6,6	0,260
125	018 017 125	87	7,4	0,430
140	018 017 140	98	8,3	0,640
160	018 017 160	102	9,5	0,815
180	018 017 180	112	10,7	1,105
200	018 017 200	112	11,9	1,505
225	018 017 225	119	13,4	2,055
250	018 017 250	128	14,8	2,600
280	018 017 280	140	16,6	3,725
315	018 017 315	155	18,7	5,020
355	018 017 355	152	21,1	7,605
400	018 017 400	150	23,7	10,350
500	018 017 500	195	29,7	15,730
630	018 017 630	182	37,4	20,120

KOSA RAČVA 45° PE100 SDR11

WYE TEE 45° PE100 SDR11

Brizgani / Injected

16 bar Voda - 10 bar Gas / 16 bar Water - 10 bar Gas



d	Broj artikla Article No	L	le	Z	s	Težina Weight
mm		mm	mm	mm	mm	kg
63	023 011 063	254	63	164	5,8	0,474
75	023 011 075	284	70	185	6,8	0,693
90	023 011 090	321	79	213	8,2	1,150
110	023 011 110	376	82	251	10,0	1,964
125	023 011 125	412	87	277	11,4	2,860
160	023 011 160	531	98	356	14,6	6,350
180	023 011 180	578	105	394	16,4	8,590
200	023 011 200	630	112	430	18,2	11,350
225	023 011 225	692	120	475	20,5	15,790
250	023 011 250	729	129	507	22,7	20,130

KOSA RAČVA 45° PE100 SDR17


WYE TEE 45° PE100 SDR17

Brizgani / Injected

16 bar Voda - 10 bar Gas / 16 bar Water - 10 bar Gas



d	Broj artikla Article No	L	le	Z	s	Težina Weight
mm		mm	mm	mm	mm	kg
63	023 017 063	254	63	164	3,8	0,342
75	023 017 075	284	70	185	4,5	0,502
90	023 017 090	321	79	213	5,4	0,840
110	023 017 110	376	82	251	6,6	1,433
125	023 017 125	412	87	277	7,4	2,125
160	023 017 160	531	98	356	9,5	4,700
180	023 017 180	578	105	394	10,7	6,470
200	023 017 200	630	112	430	11,9	8,580
225	023 017 225	692	120	475	13,4	11,920
250	023 017 250	729	129	507	14,8	14,840




MUF MUŠKI NAVOJ PE100 SDR11

MALE THREAD PE100 SDR11

Brizgani / Injected
16 bar Voda / 16 bar Water

d	R	Broj artikla Article No	le	Z	s	Težina Weight
mm	mm		mm	mm	mm	kg
20	1/2"	025 011 020	90	41	3,0	0,084
25	3/4"	025 011 025	84	41	3,0	0,104
32	1"	025 011 032	103	44	3,0	0,208
40	1 1/4"	025 011 040	122	49	3,7	0,310
50	1 1/2"	025 011 050	121	55	4,6	0,398
63	2"	025 011 063	140	63	5,8	0,578
75	2 1/2"	025 011 075	146	70	6,8	0,982
90	3"	025 011 090	168	79	8,2	1,380
110	4"	025 011 110	179	82	10,0	2,030



MUF ŽENSKI NAVOJ PE100 SDR11

FEMALE THREAD PE100 SDR11

Brizgani / Injected
16 bar Voda / 16 bar Water


d	R	Broj artikla Article No	le	Z	s	Težina Weight
mm	mm		mm	mm	mm	kg
20	1/2"	026 011 020	72	41	3,0	0,058
25	3/4"	026 011 025	72	41	3,0	0,072
32	1"	026 011 032	84	44	3,0	0,152
40	1 1/4"	026 011 040	98	49	3,7	0,318
50	1 1/2"	026 011 050	101	55	4,6	0,304
63	2"	026 011 063	115	63	5,8	0,386
75	2 1/2"	026 011 075	129	70	6,8	0,828
90	3"	026 011 090	144	79	8,2	1,122
110	4"	026 011 110	147	82	10,0	1,732

PRELAZNI KOMAD PE - ČELIK

TRANSITION ADAPTOR PE-STEEL

PE100 SDR11 / GR - B

16 bar Voda - 10 bar Gas / 16 bar Water - 10 bar Gas



d	R	Broj artikla Article No	le	Z	s1	s2	Težina Weight
mm	mm		mm	mm	mm	mm	kg
25	¾"	020 011 025	43	396	3,0	2,9	0,650
32	1"	020 011 032	100	440	3,0	3,4	0,950
40	1 ¼"	020 011 040	57	404	3,7	3,6	1,310
50	1 ½"	020 011 050	62	420	4,6	3,7	1,570
63	2"	020 011 063	106	483	5,8	3,9	2,450
75	2 ½"	020 011 075	70	474	6,8	5,2	3,710
90	3"	020 011 090	83	482	8,2	5,5	5,110
110	4"	020 011 110	156	583	10,0	6,0	7,760




KOLENO 90° PE100

ELBOW 90° PE100

Napravljeno / Fabrication

Proizvodnja od PE100 cevi / Production from PE100 pipe



d	Broj artikla Article No	bar	l mm	Z mm	S mm	Težina Weight kg
200	003 010 200	PN10	130	410	11,9	4,860
	003 016 200	PN16	130	410	18,2	7,180
225	003 010 225	PN10	130	420	13,4	6,430
	003 016 225	PN16	130	420	20,5	9,430
250	003 010 250	PN10	130	430	14,8	8,030
	003 016 250	PN16	130	430	22,7	11,830
280	003 010 280	PN10	130	442	16,6	10,140
	003 016 280	PN16	130	442	25,4	15,020
315	003 010 315	PN10	170	543	18,7	16,530
	003 016 315	PN16	170	543	28,6	24,320
355	003 010 355	PN10	170	561	21,1	21,660
	003 016 355	PN16	170	561	32,2	31,850
400	003 010 400	PN10	170	580	23,7	29,400
	003 016 400	PN16	170	580	36,3	43,370
450	003 010 450	PN10	170	602	26,7	37,880
	003 016 450	PN16	170	602	40,9	55,960
500	003 010 500	PN10	170	624	29,7	47,740
	003 016 500	PN16	170	624	45,4	70,310
560	003 010 560	PN10	170	650	33,2	63,020
	003 016 560	PN16	170	650	50,8	92,920
630	003 010 630	PN10	220	786	37,4	97,160
	003 016 630	PN16	220	786	57,2	142,800

*** S - debljina zida / Wall thickness




KOLENO 45° PE100

ELBOW 45° PE100

Napravljeno / Fabrication

Proizvodnja od PE100 cevi / Production from PE100 pipe



d	Broj artikla Article No	bar	l mm	Z mm	S mm	Težina Weight kg
200	004 010 200	PN10	130	248	11,9	2,950
	004 016 200	PN16	130	248	18,2	4,510
225	004 010 225	PN10	130	255	13,4	3,420
	004 016 225	PN16	130	255	20,5	5,230
250	004 010 250	PN10	130	260	14,8	3,850
	004 016 250	PN16	130	260	22,7	5,900
280	004 010 280	PN10	130	267	16,6	4,430
	004 016 280	PN16	130	267	25,4	6,780
315	004 010 315	PN10	170	337	18,7	6,300
	004 016 315	PN16	170	337	28,6	9,640
355	004 010 355	PN10	170	346	21,1	7,300
	004 016 355	PN16	170	346	32,2	11,140
400	004 010 400	PN10	170	357	23,7	8,460
	004 016 400	PN16	170	357	36,3	12,960
450	004 010 450	PN10	170	368	26,7	9,830
	004 016 450	PN16	170	368	40,9	15,050
500	004 010 500	PN10	170	380	29,7	11,290
	004 016 500	PN16	170	380	45,4	17,250
560	004 010 560	PN10	170	394	33,2	13,080
	004 016 560	PN16	170	394	50,8	20,020
630	004 010 630	PN10	220	488	37,4	18,250
	004 016 630	PN16	220	488	57,2	27,910

*** S - debljina zida / Wall thickness


KOLENO 11° - 30° PE100

ELBOW 11° - 30° PE100

Napravljeno / Fabrication

Proizvodnja od PE100 cevi / Production from PE100 pipe

16 bar Voda / 16 bar Water



d	Broj artikla Article No	bar	l mm	Z mm	S mm	Težina Weight kg
200	004 110 200	PN10	130	248	11,9	2,950
	004 116 200	PN16	130	248	18,2	4,510
225	004 110 225	PN10	130	255	13,4	3,420
	004 116 225	PN16	130	255	20,5	5,230
250	004 110 250	PN10	130	260	14,8	3,850
	004 116 250	PN16	130	260	22,7	5,900
280	004 110 280	PN10	130	267	16,6	4,430
	004 116 280	PN16	130	267	25,4	6,780
315	004 110 315	PN10	170	337	18,7	6,300
	004 116 315	PN16	170	337	28,6	9,640
355	004 110 355	PN10	170	346	21,1	7,300
	004 116 355	PN16	170	346	32,2	11,140
400	004 110 400	PN10	170	357	23,7	8,460
	004 116 400	PN16	170	357	36,3	12,960
450	004 110 450	PN10	170	368	26,7	9,830
	004 116 450	PN16	170	368	40,9	15,050
500	004 110 500	PN10	170	380	29,7	11,290
	004 116 500	PN16	170	380	45,4	17,250
560	004 110 560	PN10	170	394	33,2	13,080
	004 116 560	PN16	170	394	50,8	20,020
630	004 110 630	PN10	220	488	37,4	18,250
	004 116 630	PN16	220	488	57,2	27,910


*** S - debljina zida / Wall thickness

T - KOMAD PE100

EQUAL TEE PE100

Napravljeno / Fabrication

Proizvodnja od PE100 cevi / Production from PE100 pipe



d	Broj artikla Article No	bar	l	Z	L	S	Težina Weight
			mm	mm	mm	mm	kg
200	009 010 200	PN10	170	540	270	11,9	5,710
	009 016 200	PN16	170	540	270	18,2	8,420
225	009 010 225	PN10	170	565	282	13,4	7,590
	009 016 225	PN16	170	565	282	20,5	11,140
250	009 010 250	PN10	170	590	295	14,8	9,790
	009 016 250	PN16	170	590	295	22,7	14,420
280	009 010 280	PN10	170	620	310	16,6	12,880
	009 016 280	PN16	170	620	310	25,4	19,080
315	009 010 315	PN10	170	655	328	18,7	17,400
	009 016 315	PN16	170	655	328	28,6	25,600
355	009 010 355	PN10	220	795	397	21,1	26,520
	009 016 355	PN16	220	795	397	32,2	39,000
400	009 010 400	PN10	220	840	420	23,7	36,400
	009 016 400	PN16	220	840	420	36,3	53,690
450	009 010 450	PN10	220	890	445	26,7	49,560
	009 016 450	PN16	220	890	445	40,9	73,220
500	009 010 500	PN10	220	940	470	29,7	63,510
	009 016 500	PN16	220	940	470	45,4	93,530
560	009 010 560	PN10	230	1020	510	33,2	84,940
	009 016 560	PN16	230	1020	510	50,8	125,240
630	009 010 630	PN10	230	1090	545	37,4	114,510
	009 016 630	PN16	230	1090	545	57,2	168,300


*** S - debljina zida / Wall thickness

TT KOMAD PE100

CROSS TEE PE100

Napravljeno / Fabrication

Proizvodnja od PE100 cevi / Production from PE100 pipe



d	Broj artikla Article No	bar	l mm	Z mm	Težina Weight kg
75	010 017 633	PN10	90	255	0,410
	010 011 633	PN16	90	255	0,580
90	010 017 634	PN10	90	270	0,590
	010 011 634	PN16	90	270	0,860
110	010 017 635	PN10	110	315	1,320
	010 011 635	PN16	110	315	1,980
125	010 017 636	PN10	120	364	1,500
	010 011 636	PN16	120	364	2,210
140	010 017 637	PN10	130	400	2,050
	010 011 637	PN16	130	400	2,990
160	010 017 638	PN10	140	420	3,010
	010 011 638	PN16	140	420	4,180
180	010 017 639	PN10	150	480	3,950
	010 011 639	PN16	150	480	5,800
200	010 017 640	PN10	150	500	4,950
	010 011 640	PN16	150	500	7,260
225	010 017 641	PN10	150	524	6,370
	010 011 641	PN16	150	524	9,290
250	010 017 642	PN10	150	550	8,010
	010 011 642	PN16	150	550	11,710
280	010 017 643	PN10	150	580	10,170
	010 011 643	PN16	150	580	14,970
315	010 017 644	PN10	150	614	13,210
	010 011 644	PN16	150	614	19,280
355	010 017 645	PN10	200	754	21,640
	010 011 645	PN16	200	754	31,610
400	010 017 646	PN10	200	800	28,090
	010 011 646	PN16	200	800	41,120
450	010 017 647	PN10	200	850	36,390
	010 011 647	PN16	200	850	53,340
500	010 017 648	PN10	200	900	46,150
	010 011 648	PN16	200	900	67,360
560	010 017 649	PN10	250	1060	70,360
	010 011 649	PN16	250	1060	102,900
630	010 017 650	PN10	250	1130	91,550
	010 011 650	PN16	250	1130	133,270



MP PLAST

HIDRAULIČNA MAŠINA ZA SUČEONO ZAVARIVANJE HYDRAULIC WELDING MACHINE



Broj artikla Article No	Dimenzija Diameter Range mm
031 063 160	63mm – 160mm
031 063 250	63mm – 250mm
031 063 315	63mm – 315mm
031 090 315	90mm – 315mm
031 180 450	180mm – 450mm
031 180 500	180mm – 500mm
031 315 630	315mm – 630mm

RUČNA MAŠINA ZA SUČEONO ZAVARIVANJE MANUEL WELDING MACHINE



Broj artikla Article No	Dimenzija Diameter Range mm
030 063 160	63mm – 160mm
030 063 200	63mm – 200mm
030 063 250	63mm – 250mm

MAŠINA ZA ELEKTROFUZIONO ZAVARIVANJE ELECTROFUSION WELDING MACHINE



Broj artikla Article No	Dimenzija Diameter Range mm
033 063 315	20mm – 315mm



GREJNA PLOČA ZA ZAVARIVANJE

HOT PLATE

Broj artikla Article No	Dimenzija Diameter Range mm
030 001 160	160mm
030 001 200	200mm
030 001 250	250mm



MAKAZE ZA CEVI

PIPE CUTTER

Broj artikla Article No	Dimenzija Diameter Range mm
030 002 063	20 - 63mm



STRUGAČ ZA CEVI

PIPE SCRAPER

Broj artikla Article No	Dimenzija Diameter Range mm
030 002 000	Univerzalno / All sizes

MP PLAST

SERTIFIKATI CERTIFICATES

Certificate	
Standard	ISO 9001:2015
Certificate Registr. No.	01 100 1334704
Certificate Holder:	M.P.-PLAST DOO 7. Novia 39 20000 Pančevo Republic of Serbia
	 MP PLAST
Scope:	Production and assembly of HDPE injected fittings and segmented butt fittings.
Validity:	Proof has been furnished by means of an audit that the requirements of ISO 9001:2015 are met. The certificate is valid from 2022-11-18 until 2025-11-17 First certification 2019.
	2022-10-04
	 TÜV Rheinland Cert GmbH Am Craymen Stein 11 50669 Köln

Sertifikat	
Standard	ISO 9001:2015
Regist. br. Sertifikata	01 100 1334704
Vlasnik sertifikata:	M.P. PLAST DOO 7. Novca 36 26000 Pandevo Republika Srbija
	 MP PLAST
Područje primene:	Proizvodnja i montaža HDPE brzozagrijivih fitinga i segmentnog suvoznog fitinga.
	Proverom je dokazano da su zahtevi ISO 9001:2015 ispunjeni.
Period važenja:	Ovaj sertifikat važi od 18.11.2022. do 17.11.2025. Prva sertifikacija: 2013.
	04.10.2022
	 TUV Rheinland Cert. GmbH Am Grauen Stein · 51105 Köln
  	
www.tuv.com Precisely Right.	

Laboratorija za ispitivanje
Posrednik za ispitivanje: Zoran Stanić
Adresa: ul. Vukovog br. 12, 11000 Beograd
Telefon: 011 26 67 04 11, 011 26 67 04 12
E-mail: zoran.stanic@laboratorija.rs

AkvaPank

IZVEŠTAJ O ISPITIVANJU

Br. 0-0309

Posrednik ispitivanja:	AKVA PANK
Stranica ispitivanja:	M.P. PLAST, O.O.D Bosanski Bistarski put, 459 14000 FRANKOVCI
Ime /Zastupnik/ rednog:	Z. St. - I
Posrednik i izvršilac /Ime /Zastupnik/ izvršilac:	Naime predstavnik: M.P. PLAST, O.O.D Naime izvršilac: FK 300 Naime posrednik: 14020 140430, name, FK30 30M17 Materijal: FK300 Ispitni: Ispitni elementi crna boja, gresasto opušnjava gresna 1405 1401235, 0.2013
Datum prijema u rad:	24.02.2013
Maksimalna ispitivanja:	24.02.2013
Ime /Zastupnik/ Posrednik:	Ime /Zastupnik/ Posrednik (2)

Datum izdavanja izveštaja:
04.03.2013.

Izveštaj صادره من:
Laboratorija za ispitivanje
Zoran Stanić, dipl. ing.
Zoran Stanić

04.03.2013. Izveštaj o ispitivanju 0-0309 0-0309 0-0309 0-0309

 Ministarstvo obrazovanja i nauke Republike Srbije	Laboratorija za ispitivanje Polimerne i tekstilne materije Institut za istraživanje i razvoj tekstilne industrije Ulica: Zvezdarski put 59, Beograd E-mail: zvezdarski@iir.rs		AkvaPartnerstvo
IZVEŠTAJ O ISPITIVANJU Br. 23-2019			
Predmet ispitivanja:	PE300 Lukovci PAF300 SER17		
Navedite upitnik po:	W.I. PLAST O.O.O Beogradulski put, 43B 10000 BEOGRAD		
Na: Naziv/Ime i prezime:	Z. B. – I		
Predati u svojstvu/Ime/Naziv osobe:	Naziv proizvođača: W.I. PLAST O.O.O		
	Naziv proizvoda: PE300 Lukovci PAF300 SER17		
	Naziv predmeta: (nazivom-094002) rez. PAF300 SER17		
	Identifikator: PE300		
	Uputno: Spisak izveštaja o analizi, prilozi, izvorni uzorci i prema 0485.042.002.002.03		
Datumi prijema uzoraka:	24.02.2019		
Potvrda upitnika:	14.02.2019		
Ime i prezime/Priime:	Ime i prezime (S) / Prezime (I)		
Datum i mesto izveštaja: 21.02.2019	Izveštaj odobrio: rukovodilac laboratorije za ispitivanje Slobodan Stokich, dipl.ing. 		

 Ministarstvo obrazovanja i školske znanosti Republike Srbije	Laboratorija za Vrednotenje Naše Adresa: ul. Crkveni 103, Beograd 11000 Telefon: 011 2604 1234 E-mail: obraz@obraz.gov.rs Web: www.obraz.gov.rs	 PAF PRAVA AKADEMIJA FIZIOLOGIJA
	AkvaPanda izdavačka kuća	

IZVEŠTAJ O ISPITIVANJU	
Br.: 25-2019	

Poslovni ispitivač:	PE100 / Komadi / P100 10R127
Stručni ispitivač:	MF P. KAJIĆ D.O.O Bazarova ulica, br. 429 34000 NIŠAVO
Dr. izobrazba / Poslovni rang:	Dr. Sc. - I
Proba iz znanja / Vrednotenje znanosti:	Naime proizvođača: MF P. KAJIĆ D.O.O Naime proizvođača: PE100 / Komadi / P100 12R127 Naime proizvođača: (NAIME) (P100) com. P100 10R127 Naime proizvođača: P100 Ispitni: Napisi izveštaji otest, pravilo, pravilno ispitivanje, pravilo SPRVA (11.12.2019 - 9.2013)
Ostali ispitivači:	24.01.2019
Poslovni ispitivač:	24.01.2019
Brz. izobrazba / Poslov:	Brz. izobrazba (15) / Prijava (15)

Iskustvo laboratorije izobrazbe: (01.01.2019)	Ispitivanje iskustva: Iskustvo laboratorije izobrazbe Iskusna iskustva, iskustva <i>SPRVA</i>
	

 Republika Srbija Ministarstvo obrazovanja i nauke Beograd	Laboratorija za ispitivanje Posrednik: AKVA PARTNER Adresa: 11000 Beograd, Bulevar Oslobođenja 158 Kontakt: 011 2660 1000 E-mail: akvapartner@akvapartner.rs	
	AkvaPartner	

IZVEŠTAJ O ISPITIVANJU	
Br.	27-2019

Prostori ispitivanja:	PEKOB Beograd - PEKOB SOKOL - PEKOB SOKOL
------------------------------	--

Naziv objekta ispitivanja:	W.P.PLAST O.O.O Bulevar Oslobođenja, br. 409 10000 PANČEVCI
-----------------------------------	--

Br. Izveštaja/Projekta ispit.	27. 30 - 3
--------------------------------------	-------------------

Pratila li kontrola/Projekta ispitivanja:	Nisu prisustvovali: W.P.PLAST O.O.O
	Nisu prisustvovali: PEKOB Beograd PEKOB SOKOL PEKOB SOKOL
	Nastavni predmeti: DIN 4761 - DIN 4761-01
	Pratili: PEKOB SOKOL PEKOB SOKOL
	Materijal: PEKOB
	Uputilo: Specijalizovani centar bašt. proizvodnje opreme prostora (stavak 949) (NLS2010-1-2013)

Datum prijema uzorka	24.03.2019
-----------------------------	-------------------

Potpisan ispitivač:	26.03.2019
----------------------------	-------------------

Brig strane/Projekta	Brig strane (S) / Projekta (P)
-----------------------------	---------------------------------------

Datum izdavanja izveštaja 14.03.2019.	Izdavao izveštaj: Laboratorija za ispitivanje 30000 Beograd, Bulevar Oslobođenja 158 011 2660 1000 
--	--

[illegible]

	telefon: 010 1588 fax: 010400 e-mail: anahem@anahem.hr	faks: telefon 7120 telefon: 010 1588-04 e-mail: anahem@anahem.hr fax: 011 300 000
	Hrvatska 10, 11000 Zagreb Tel: 011 300 000 380 001 000	
	Datum: 09.05.2002 god:	

STRUČNO MSLJENJE br: 3004199602

Porudba br. 300419960 od 18.04.2002.	
Uredila i ispisala na:	3004199602
Odsjeka izdručka na:	3004199602

Analiza msljenja:

Na osnovu dobivenih rezultata laboratorijskog ispitivanja i stručnog razmatranja, smatram da se u ispitivanoj opremi nalaze:

Uređaji	Modeli
Uređaji tipa CMM 1000	IZDAVAČEVSKI OPAKOVANJE

primje. Napomena: u opremi su nalazili i opremu namijenjenu ispitivanju materijala, oprema koja se može nalaziti u opremi tipa: M8 0750 (30041, 30042, 30043, 30044, 30045, 30046, 30047, 30048, 30049, 30050, 30051, 30052, 30053, 30054, 30055, 30056, 30057, 30058, 30059, 30060, 30061, 30062, 30063, 30064, 30065, 30066, 30067, 30068, 30069, 30070, 30071, 30072, 30073, 30074, 30075, 30076, 30077, 30078, 30079, 30080, 30081, 30082, 30083, 30084, 30085, 30086, 30087, 30088, 30089, 30090, 30091, 30092, 30093, 30094, 30095, 30096, 30097, 30098, 30099, 30100, 30101, 30102, 30103, 30104, 30105, 30106, 30107, 30108, 30109, 30110, 30111, 30112, 30113, 30114, 30115, 30116, 30117, 30118, 30119, 30120, 30121, 30122, 30123, 30124, 30125, 30126, 30127, 30128, 30129, 30130, 30131, 30132, 30133, 30134, 30135, 30136, 30137, 30138, 30139, 30140, 30141, 30142, 30143, 30144, 30145, 30146, 30147, 30148, 30149, 30150, 30151, 30152, 30153, 30154, 30155, 30156, 30157, 30158, 30159, 30160, 30161, 30162, 30163, 30164, 30165, 30166, 30167, 30168, 30169, 30170, 30171, 30172, 30173, 30174, 30175, 30176, 30177, 30178, 30179, 30180, 30181, 30182, 30183, 30184, 30185, 30186, 30187, 30188, 30189, 30190, 30191, 30192, 30193, 30194, 30195, 30196, 30197, 30198, 30199, 30200, 30201, 30202, 30203, 30204, 30205, 30206, 30207, 30208, 30209, 30210, 30211, 30212, 30213, 30214, 30215, 30216, 30217, 30218, 30219, 30220, 30221, 30222, 30223, 30224, 30225, 30226, 30227, 30228, 30229, 30230, 30231, 30232, 30233, 30234, 30235, 30236, 30237, 30238, 30239, 30240, 30241, 30242, 30243, 30244, 30245, 30246, 30247, 30248, 30249, 30250, 30251, 30252, 30253, 30254, 30255, 30256, 30257, 30258, 30259, 30260, 30261, 30262, 30263, 30264, 30265, 30266, 30267, 30268, 30269, 30270, 30271, 30272, 30273, 30274, 30275, 30276, 30277, 30278, 30279, 30280, 30281, 30282, 30283, 30284, 30285, 30286, 30287, 30288, 30289, 30290, 30291, 30292, 30293, 30294, 30295, 30296, 30297, 30298, 30299, 30300, 30301, 30302, 30303, 30304, 30305, 30306, 30307, 30308, 30309, 30310, 30311, 30312, 30313, 30314, 30315, 30316, 30317, 30318, 30319, 30320, 30321, 30322, 30323, 30324, 30325, 30326, 30327, 30328, 30329, 30330, 30331, 30332, 30333, 30334, 30335, 30336, 30337, 30338, 30339, 30340, 30341, 30342, 30343, 30344, 30345, 30346, 30347, 30348, 30349, 30350, 30351, 30352, 30353, 30354, 30355, 30356, 30357, 30358, 30359, 30360, 30361, 30362, 30363, 30364, 30365, 30366, 30367, 30368, 30369, 30370, 30371, 30372, 30373, 30374, 30375, 30376, 30377, 30378, 30379, 30380, 30381, 30382, 30383, 30384, 30385, 30386, 30387, 30388, 30389, 30390, 30391, 30392, 30393, 30394, 30395, 30396, 30397, 30398, 30399, 30400, 30401, 30402, 30403, 30404, 30405, 30406, 30407, 30408, 30409, 30410, 30411, 30412, 30413, 30414, 30415, 30416, 30417, 30418, 30419, 30420, 30421, 30422, 30423, 30424, 30425, 30426, 30427, 30428, 30429, 30430, 30431, 30432, 30433, 30434, 30435, 30436, 30437, 30438, 30439, 30440, 30441, 30442, 30443, 30444, 30445, 30446, 30447, 30448, 30449, 30450, 30451, 30452, 30453, 30454, 30455, 30456, 30457, 30458, 30459, 30460, 30461, 30462, 30463, 30464, 30465, 30466, 30467, 30468, 30469, 30470, 30471, 30472, 30473, 30474, 30475, 30476, 30477, 30478, 30479, 30480, 30481, 30482, 30483, 30484, 30485, 30486, 30487, 30488, 30489, 30490, 30491, 30492, 30493, 30494, 30495, 30496, 30497, 30498, 30499, 30500, 30501, 30502, 30503, 30504, 30505, 30506, 30507, 30508, 30509, 30510, 30511, 30512, 30513, 30514, 30515, 30516, 30517, 30518, 30519, 30520, 30521, 30522, 3

[illegible]



TEŽINA CEVI UNIT WEIGHT OF PE 100 PIPES

PN	4		5		6		8		10	
SDR	41		33		26		21		17	
Dimenzija (mm)	s (mm)	m (kg/m)	s (mm)	m (kg/m)	s (mm)	m (kg/m)	s (mm)	m (kg/m)	s (mm)	m (kg/m)
16										
20										
25									2,0	0,140
32									2,0	0,190
40							2,0	0,240	2,4	0,280
50					2,0	0,300	2,4	0,360	3,0	0,440
63			2,0	0,380	2,5	0,470	3,0	0,570	3,8	0,710
75	2,0	0,460	2,3	0,530	2,9	0,660	3,6	0,810	4,5	1,000
90	2,3	0,640	2,8	0,770	3,5	0,950	4,3	1,160	5,4	1,440
110	2,7	0,910	3,4	1,140	4,2	1,400	5,3	1,750	6,6	2,150
125	3,1	1,190	3,9	1,490	4,8	1,810	6,0	2,250	7,4	2,740
140	3,5	1,510	4,3	1,840	5,4	2,280	6,7	2,810	8,3	3,440
160	4,0	1,970	4,9	2,390	6,2	2,990	7,7	3,690	9,5	4,500
180	4,4	2,430	5,5	3,020	6,9	3,750	8,6	4,640	10,7	5,710
200	4,9	3,010	6,2	3,790	7,7	4,650	9,6	5,760	11,9	7,050
225	5,5	3,800	6,9	4,740	8,6	5,840	10,8	7,290	13,4	8,930
250	6,2	4,760	7,7	5,880	9,6	7,250	11,9	8,930	14,8	10,970
280	6,9	5,940	8,6	7,350	10,7	9,050	13,4	11,250	16,6	13,770
315	7,7	7,450	9,7	9,330	12,1	11,510	15,0	14,180	18,7	17,450
355	8,7	9,490	10,9	11,820	13,6	14,580	16,9	18,000	21,1	22,190
400	9,8	12,050	12,3	15,020	15,3	18,480	19,1	22,920	23,7	28,090
450	11,0	15,210	13,8	18,960	17,2	23,370	21,5	29,020	26,7	35,600
500	12,3	18,900	15,3	23,360	19,1	28,840	23,9	35,850	29,7	44,000
560	13,7	23,580	17,2	29,410	21,4	36,190	26,7	44,860	33,2	55,100
630	15,4	29,820	19,3	37,130	24,1	45,850	30,0	56,700	37,4	69,820



TEŽINA CEVI UNIT WEIGHT OF PE 100 PIPES

PN	12,5		16		20		25		32	
SDR	13,6		11		9		7,4		6	
Dimenzija (mm)	s (mm)	m (kg/m)	s (mm)	m (kg/m)	s (mm)	m (kg/m)	s (mm)	m (kg/m)	s (mm)	m (kg/m)
16					2,0	0,090	2,3	0,100	3,0	0,120
20			2,0	0,110	2,3	0,130	3,0	0,160	3,4	0,180
25	2,0	0,150	2,5	0,170	3,0	0,210	3,5	0,240	4,2	0,280
32	2,4	0,220	3,0	0,270	3,6	0,320	4,4	0,380	5,4	0,450
40	3,0	0,350	3,7	0,420	4,5	0,500	5,5	0,600	6,7	0,700
50	3,7	0,540	4,6	0,660	5,6	0,780	6,9	0,940	8,3	1,090
63	4,7	0,860	5,8	1,050	7,1	1,250	8,6	1,470	10,5	1,740
75	5,6	1,220	6,8	1,460	8,4	1,760	10,3	2,100	12,5	2,460
90	6,7	1,760	8,2	2,110	10,1	2,540	12,3	3,010	15,0	3,540
110	8,1	2,600	10,0	3,150	12,3	3,790	15,1	4,510	18,3	5,290
125	9,2	3,360	11,4	4,080	14,0	4,900	17,1	5,810	20,8	6,830
140	10,3	4,210	12,7	5,090	15,7	6,150	19,2	7,310	23,3	8,570
160	11,8	5,510	14,6	6,690	17,8	8,010	21,9	9,530	26,6	11,180
180	13,3	6,980	16,4	8,450	20,1	10,120	24,6	12,040	29,9	14,140
200	14,7	8,580	18,2	10,420	22,4	12,530	27,4	14,900	33,2	17,450
225	16,6	10,900	20,5	13,210	25,2	15,860	30,8	18,840	37,4	22,100
250	18,4	13,420	22,7	16,250	27,9	19,520	34,2	23,250	41,5	27,260
280	20,6	16,830	25,4	20,370	31,3	24,520	38,3	29,160	46,5	34,200
315	23,2	21,330	28,6	25,800	35,2	31,030	43,1	36,920	52,3	43,280
355	26,1	27,040	32,2	32,740	39,7	39,430	48,5	46,830	59,0	55,020
400	29,4	34,320	36,3	41,590	44,7	50,030	54,7	59,500	66,7	70,030
450	33,1	43,470	40,9	52,710	50,3	63,340	61,5	75,270		
500	36,8	53,700	45,4	65,020	55,8	78,080				
560	41,2	67,330	50,8	81,490	62,2	97,540				
630	46,3	85,140	57,2	103,210						

**MP PLAST JE UVEK TU ZA VAS.
MP PLAST IS ALWAYS THERE FOR YOU.**

M.P. - PLAST DOO

ADRESA: 7. NOVA 3B, SRBIJA, PANCEVO

E-MAIL: OFFICE@MPPLAST.COM

WEBSITE: WWW.MPPLAST.COM

TEL: +381644322874